



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/509,312	09/27/2004	Jianming Xu	139370	5423
77216	7590	10/13/2010	EXAMINER	
ALCATEL-LUCENT			LIM, STEVEN	
C/O GALASSO & ASSOCIATES, LP				
P. O. BOX 26503			ART UNIT	
AUSTIN, TX 78755-0503			PAPER NUMBER	
			2617	
			MAIL DATE	
			DELIVERY MODE	
			10/13/2010	
			PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/509,312

Applicant(s)

XU ET AL.

Examiner

STEVEN LIM

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 July 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/CD)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claim 1, 5, 9, 11-13, 15, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785) and Eriksson (US 20030103478).

4. Regarding Claims 1 and 11, Josse et al. teaches exchanging messages between the Mobile Station (Fig. 1, Item 40) and the Radio Access Network (Fig. 1, Item 30) of a first technology (Base Station System communicates using a Gb interface to the SGSN and to the mobile station using a air interface which is different from a Gn interface, Fig. 1, Col. 4, Lines 45-52) and between the Radio Access Network and the Core Network

(Fig. 1, Item 20) (GGSN communicates with SGSN through a Gn interface and to the Data Network or Internet, Col. 4, Lines 39-45) through a Hybrid Atrium (a group of core nodes in the Core Network which includes a SGSN, Fig. 1, Item 24, Col. 4, Lines 33-57) where the node includes an ability to exchange short messages (Attach Request Message) with the MS (Col. 2, Lines 44-58) directly (Col. 7, Line 23-24, Col. 10, Line 66-67, Fig. 3, Item 3-1 and 3-9, communication occurs directly between MS and SGSN with attach request and attach accept messages where the SGSN uses the BSS as its antenna), however Josse et al. fails to disclose exchanging messages between the MS and the RAN of a first technology and between the RAN of a first technology and the CN of a second technology through a Hybrid Atrium in a Core Network.

5. In an analogous art, Ovesjo et al. discloses a MS communicating with a RAN using a first technology and communicating between the RAN of the first technology and the CN of a second technology through a Hybrid Atrium (MS communicates with RAN using GSM or UMTS and CN communicates with RAN using PSTN or ISDN through BSC or RNC, Paragraphs 27-29), which enables interoperability.

6. In an analogous art, Eriksson discloses a Core Network including a mobile station communicating with a RAN using a first technology (UMTS) and the RAN communicating with the Core Network (Fig. 1) that includes two core nodes (circuit switched and packet switched core nodes, Paragraph 28) that create a hybrid atrium (coexisting nodes of different technologies including UMTS and GSM, Paragraph 28), which enables interoperability.

7. It would have been obvious to one having ordinary skill in the art at the time of invention was made include hybrid atrium in a core network and to communicate using multiple technologies in the core network in order to promote backwards capability and interoperability.
8. Regarding Claims 5 and 15, Josse et al. further teaches updating the CN with a data session context update (PDP) through the Hybrid Atrium (update SGSN request, Col. 7, Lines 34-37).
9. Regarding Claims 9 and 19, Josse et al. further teaches exchanging messages includes an ability to handoff between Serving General Packet Radio Service Nodes (SGSN, Col. 6, Lines 1-12, Fig. 1, Item 24₁ and 24₂).
10. Regarding Claim 12, Josse et al. further teaches initiating a data session by the MS with the hybrid atrium (a group of core nodes in the Core Network which includes a SGSN) through a Base Station (Fig. 1, Items 24 and 30), updating a Home Location Register by the Hybrid Atrium (Col. 2, Lines 44-58), informing a QoS by the HLR, and negotiating a QoS by the Hybrid MSC (Col. 7, Lines 22-32, and tables 1-3).
11. Regarding Claim 13, Josse et al. further teaches sending a short message (attach reply) to the MS from the Hybrid Atrium (Col. 7, Lines 52-53) and sending a short message reply (attach request) from the MS to the Hybrid Atrium (Col. 7, Lines 22-23).

12. Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), and Parekh et al. (US 20030112779).

13. Regarding Claim 2, Josse et al. further teaches initiating a data session by the MS with the hybrid atrium (a group of core nodes in the Core Network which includes a SGSN) through a Base Station (Fig. 1, Items 24 and 30), updating a Home Location Register by the Hybrid Atrium (Col. 2, Lines 44-58), informing a QoS by the HLR, and negotiating a QoS by the Hybrid MSC (Col. 7, Lines 22-32, and tables 1-3), however Josse et al. fails to disclose the first technology is CDMA 2000 and the second technology is GSM.

14. In an analogous art, Parekh et al. discloses a mobile station sending a CDMA2000 origination message to the BSC which is then sent to a switch which uses GSM for HLR authorization (Paragraphs 2, 5, 7, 11, 39, 44, and 49), which enables using a CDMA RAN with a GSM core because GSM is a communication protocol which is extant in much of the world (Parekh et al., Paragraph 6).

15. It would have been obvious to one having ordinary skill in the art at the time of invention was made to use a CDMA 2000 RAN as a first technology with a GSM core infrastructure as a second technology in order to utilize a communication protocol which is extant in much of the world (Parekh et al., Paragraph 6).

16. Regarding Claim 3, Josse et al. further teaches sending a short message (attach reply) to the MS from the Hybrid Atrium (Col. 7, Lines 52-53) and sending a short message reply (attach request) from the MS to the Hybrid Atrium (Col. 7, Lines 22-23).

17. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), Parekh et al. (US 20030112779), 3GPP (ETSI TS 123 060 V3.3.0 (2000-04)) and further in view of IETF (The Point-to-Point Protocol (PPP), RFC 1661, July 1994).

18. Regarding Claim 4, Josse et al. further discloses establishing a connection (PDP Contexts) and data transfer between the Hybrid Atrium and the MS (Col. 4, Lines 45-51, Col. 2, Lines 9-15), however Josse et al. fails to disclose the connection being a direct PPP.

In an analogous art, 3GPP discloses PDPs can be of the type PPP which enables a N-PDU of 1 502 octets (Page 124, Section 9.3).

In an analogous art, IETF defines a PPP connection as direct between two peers (Page ii, Introduction), which enables the PPP to follow established standards.

It would have been obvious to one having ordinary skill in the art at the time of invention was made to establish a PPP connection in order to allow the system to have a N-PDU maximum size of 1 502 octets (Page 124, Section 9.3) and to establish the PPP connection as direct to follow the standard definition of a PPP connection.

19. Claims 6, 7, 14, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), 3GPP (ETSI TS 123 060 V3.3.0 (2000-

04)) and further in view of IETF (The Point-to-Point Protocol (PPP), RFC 1661, July 1994).

20. Regarding Claims 6 and 16, Josse et al. further discloses establishing a connection (PDP Contexts) between the Hybrid Atrium and the MS (Col. 4, Lines 45-51), however Josse et al. fails to disclose the connection being a direct PPP connection, sending a termination request from a Base Station Controller for the MS to the Hybrid Atrium, exchanging messages between the Hybrid Atrium and the CN to terminate the PPP connection and terminating the PPP connection between the Hybrid Atrium and the MS.

In an analogous art, 3GPP discloses PDPs can be of the type PPP (Page 124, Section 9.3), sending a termination request from a Base Station Controller for the MS to the Hybrid Atrium (SGSN, Page 120, Section 9.2.4.1), exchanging messages between the Hybrid Atrium and the CN to terminate the PPP connection and terminating the PPP connection between the Hybrid Atrium and the MS (Page 120, Section 9.2.4.1), which enables the system to follow GPRS standards.

In an analogous art, IETF defines a PPP connection as direct between two peers (Page ii, Introduction), which enables the PPP to follow established standards.

It would have been obvious to one having ordinary skill in the art at the time of invention was made to initiate a connection termination from the mobile station because packet data transfer is no longer required and to follow the standards regarding GPRS and to establish the PPP connection as direct to follow the standard definition of a PPP connection.

21. Regarding Claims 7 and 17, Josse et al. further discloses establishing a connection (PDP Contexts) between the Hybrid Atrium and the MS (Col. 4, Lines 45-51), however Josse et al. fails to disclose the connection being a direct PPP connection, sending a termination request from the CN to the Hybrid Atrium, exchanging messages between the Hybrid Atrium and the MS to terminate the PPP connection and terminating the PPP connection between the Hybrid Atrium and the MS.

In an analogous art, 3GPP discloses PDPs can be of the type PPP (Page 124, Section 9.3), sending a termination request from a CN (internet host) to the Hybrid Atrium (SGSN, Page 122, Section 9.2.4.3), exchanging messages between the Hybrid Atrium and the MN to terminate the PPP connection and terminating the PPP connection between the Hybrid Atrium and the MS (Page 122, Section 9.2.4.3), which enables the system to follow GPRS standards.

In an analogous art, IETF defines a PPP connection as direct between two peers (Page ii, Introduction), which enables the PPP to follow established standards.

It would have been obvious to one having ordinary skill in the art at the time of invention was made to initiate a connection termination from the core network because packet data transfer is no longer required and to follow the standards regarding GPRS and to establish the PPP connection as direct to follow the standard definition of a PPP connection.

22. Regarding Claim 14, Josse et al. further discloses establishing a connection (PDP Contexts) and data transfer between the Hybrid Atrium and the MS (Col. 4, Lines

45-51, Col. 2, Lines 9-15), however Josse et al. fails to disclose the connection being a direct PPP.

In an analogous art, 3GPP discloses PDPs can be of the type PPP which enables a N-PDU of 1 502 octets (Page 124, Section 9.3).

In an analogous art, IETF defines a PPP connection as direct between two peers (Page ii, Introduction), which enables the PPP to follow established standards.

It would have been obvious to one having ordinary skill in the art at the time of invention was made to establish a PPP connection in order to allow the system to have a N-PDU maximum size of 1 502 octets (Page 124, Section 9.3) and to establish the PPP connection as direct to follow the standard definition of a PPP connection.

23. Claims 8 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), and Weissman (US 20030188319).

24. Regarding Claims 8 and 18, Josse et al. further discloses exchanging messages includes an ability to handoff between Serving General Packet Radio Service Nodes (SGSN, Col. 6, Lines 1-12, Fig. 1, Item 24₁ and 24₂), however, Josse et al. fails to disclose handoff between Packet Data Service Nodes.

25. In an analogous art, Weissman discloses a combination of SGSN and PDSN to enable the cellular system to communicate with its compatible network (Paragraph 64).

26. It would have been obvious to one having ordinary skill in the art at the time of invention was made to combine and handoff between PDSNs to allow the cellular device to communicate to a compatible network (Paragraph 64).

27. Claims 10 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), and Weissman (US 20030188319) and further in view of Grilli et al. (US 20030002525)

28. Regarding Claims 10 and 20, Josse et al. further teaches exchanging messages includes an ability to handoff between Serving General Packet Radio Service Nodes (SGSN, Col. 6, Lines 1-12, Fig. 1, Item 50, 24₁ and 24₂), however Josse et al. fails to disclose handoff between a PDSN and SGSN.

In an analogous art, Weissman discloses a combination of SGSN and PDSN to enable the cellular system to communicate with its compatible network (Paragraph 64).

In an analogous art, Grilli et al. discloses a hybrid GSM/CDMA network with handoff (Fig. 13).

It would have been obvious to one having ordinary skill in the art at the time of invention was made to handoff between a PDSN and SGSN to allow the cellular device to operate data transmission in a hybrid network.

29. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Josse et al. (US 6104929) in view of Ovesjo et al. (US 20020160785), Eriksson (US 20030103478), and further in view of Weissman (US 20030188319).

30. Regarding Claim 21, Josse et al. teaches exchanging messages between the Mobile Station (Fig. 1, Item 40) and the Radio Access Network (Fig. 1, Item 30)(Base Station System communicates using a Gb interface to the SGSN and to the mobile station using a air interface which is different from a Gn interface, Fig. 1, Col. 4, Lines 45-52) and between the Radio Access Network and the Core Network (Fig. 1, Item 20) (GGSN communicates with SGSN through a Gn interface and to the Data Network or Internet, Col. 4, Lines 39-45) through a Hybrid Atrium (a group of core nodes in the Core Network which includes a SGSN, Fig. 1, Item 24, Col. 4, Lines 33-57) where the Hybrid Atrium includes an ability to exchange short messages (Attach Request Message) with the MS (Col. 2, Lines 44-58) directly (Col. 7, Line 23-24, Col. 10, Line 66-67, Fig. 3, Item 3-1 and 3-9, communication occurs directly between MS and SGSN with attach request and attach accept messages where the SGSN uses the BSS as its antenna), a SGSN (SGSN in communication with SGSN, Fig. 1, Item 24₁ and 24₂), a GGSN (Fig. 1, Item 20), however Josse et al. fails to disclose the Hybrid Atrium exchanging messages with a PDSN and exchanging messages between the MS and the RAN of a first technology and between the RAN of a first technology and the CN of a second technology through a Hybrid Atrium in a Core Network.

31. In an analogous art, Ovesjo et al. discloses a MS communicating with a RAN using a first technology and communicating between the RAN of the first technology

and the CN of a second technology through a Hybrid Atrium (MS communicates with RAN using GSM or UMTS and CN communicates with RAN using PSTN or ISDN through BSC or RNC, Paragraphs 27-29), which enables interoperability.

32. In an analogous art, Eriksson discloses a Core Network including a mobile station communicating with a RAN using a first technology (UMTS) and the RAN communicating with the Core Network (Fig. 1) that includes two core nodes (circuit switched and packet switched core nodes, Paragraph 28) that create a hybrid atrium (coexisting nodes of different technologies including UMTS and GSM, Paragraph 28), which enables interoperability.

33. In an analogous art, Weissman discloses a combination of SGSN and PDSN to enable the cellular system to communicate with its compatible network (Paragraph 64).

34. It would have been obvious to one having ordinary skill in the art at the time of invention was made include hybrid atrium in a core network and to communicate using multiple technologies in the core network in order to promote backwards capability and interoperability.

35. It would have been obvious to one having ordinary skill in the art at the time of invention was made use a PDSNs instead of a SGSN to allow the cellular device to communicate to a compatible network (Paragraph 64).

Response to Arguments

Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

Applicant's arguments filed 7/27/2010 have been fully considered but they are not persuasive. In response to applicant's argument that the references fail to disclose the limitations of claims 1, 11, and 21, Examiner disagrees because the limitations as broadly claimed and interpreted does not require the first and second technology to be of two different types of communication networks. Furthermore Josse discloses the limitations of claims 1, 11, and 21 as communication between the MS and the base station which is a part of the RAN through an air interface where the communication also involves a SGSN (Col. 4, Lines 39-56) which is interpreted to be the same as applicant's first technology and the communication also is also between the base station and SGSN and a GGSN through a Gn interface interpreted to be the same as applicant's second technology. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the RAN is based on a CDMA 2000 standard and the CN is based on a GSM technology and the Hybrid Atrium is separate and apart from the BSC) are not recited in the rejected claims 1, 11, and 21. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Therefore the limitations as broadly claimed and interpreted are disclosed by the references as disclosed above in the Final Rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **STEVEN LIM** whose telephone number is (571)270-1210. The examiner can normally be reached on Mon-Thurs 9:00am-4:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester Kincaid can be reached on (571)272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Steven Lim/
Examiner, Art Unit 2617

/LESTER KINCAID/
Supervisory Patent Examiner, Art Unit 2617